




GUANGDONG PERFECT CO.,LTD.



Storage Products
Shelving Products
Faucet Products
Insulated Transport Products
Food Service Cart Products

Hotel And kitchen Project Products

Company Profile

Guangdong Perfect Co., Ltd was established in 2001, which specializes in Research, Development, Production, and Sales of Metal & Plastic Merchandise for Hotel, Bar, Oriental & Western Kitchens.

Guangdong Perfect Co., Ltd has its own factory covering an area of 20,000 square meters. There are some departments including Technical development, Molding, Hardware, Injection, Rotation and Packing. Based on our strong economic strength, we have introduced some advanced facilities & technologies for future achievement.

Guangdong Perfect Co., Ltd has a group of high-tech professionals with over ten years' experience in product research and development. Matching an united, progressive, disciplined and pragmatic sales team. We concentrate on product design, research & development, production and marketing. Also on providing satisfied-services and high-quality goods to our customers. Meanwhile, we are recognized as a leader in this field. Developing our Company culture to enhance our core competitiveness and to build a good social image.

Guangdong Perfect Co., Ltd is absorbed in building up long-term partnerships with our employees, suppliers and clients, ensuring to exceed customers' expectation of our services, quality, value and dependability.

After we have received many awards of product innovation and being recognized by our outstanding services. Moreover, our own brand **JIWINS®** is widely accepted by our customers and has obtained public praise from this field.

Adhere to people-oriented, mutual Win-Win business philosophy, we have been working with comprehensive partners over 80 countries in the worldwide market. We wish more opportunities could be provided to you with our excellent services.

We value more and more on ABSORPTION.—“Absorption Coheres Energy: Absorption achieves Future”. We're sincerely looking forward to cooperating with you and creating a Win-Win future.



CONTENTS

Storage Products

Ingredient Bins	01
Shelf Ingredient Bins	01

Shelving Products

NEW Winshelvings	02-14
Wire Shelvings	15-18

Insulated Transport Products

Insulated Pan	19
Sliding Ice Caddy	20
NEW EPP Insulated Pan Carrier	21-22

Food Service Cart Products

NEW Plate Rack	23-25
Tray Table Ware Cart	26
Mutiduty Service Cart	26
Folding Cart	27
Racks Dolly	27
Housekeeping Cart	28
Step-on Container	29
Recycle Round Container	30

Faucet Products

Mounted Faucet	31-32
Pot and Kettle Filler	33
Wall Mounted Retractable Hose Reel	34
Workboard and Pantry Faucets	35-37
Waste Valves	38
Faucet Accessories	39-40

Storage Products

Ingredient Bins

- Siamese cover design makes it easy to scoop raw materials up with one hand ,improving work efficiency.
- Clear front cover helps quick identification of inside ingredients and better inventory management.
- Insert rail for the scoop makes it easy to take out the scoop and makes direct tough with the materials.
- It can be easily moved with 3" castors.
- Smooth interior and exterior makes clean-up easily.
- Drawer-type cover makes one-hand scooping easy and improves work efficiency.
- Ideal for storing dry bulk goods such as sugar, flour, rice and other cereals.



Art.No.	JW-S81	JW-S102	JW-S120
Name	81L Ingredient Bins	102L Ingredient Bins	120L Ingredient Bins
Size	745x328x740 mm	750x410x745 mm	750x457x748 mm
Capacity	81L	102L	120L
Weight Capacity (Sugar)	72.7KG	89.4KG	106KG
Weight Capacity (Flour)	56.3KG	69.9KG	83.5KG
Weight Capacity (Rice)	81KG	102KG	120KG
PCS/CTN	1	1	1

Shelf Ingredient Bins

- New and improved bins designed to store small amounts of food and ingredients.
- Patented cover;easy to take out the ingredients with one hand even when the bins are stacked.
- Clear cover for quick and easy identification of ingredients and better inventory management.
- Ideal for storing small amounts of ingredients.
- Material:PC,PP.
- Colour:White.



Art.No.	JW-S8	JW-S20	JW-S40
Name	8L Shelf Ingredient Bins	20L Shelf Ingredient Bins	40L Shelf Ingredient Bins
Size	367x296x220 mm	593x290x432 mm	593x486x432 mm
Capacity	8L	20L	40L
PCS/CTN	1	1	1

Winshelvings

Multi environments use
From -38°C to 88°C

Stationary Units

Mobile Units

High-Density Units



Easy to adjust and install

It's easy to adjust and install. With different sizes (3 heights, 4 widths, 6 lengths), space utilization is highly increased. The nets can be adjusted up or down by 100 millimeters with disassembly. Shelves can be built to U-shape units with corner connectors.

Absolutely firm, durable and stable

Made from a steel core and polypropylene. Inner steel provides high intensity and durability. Exterior PP is anti-corrosion and break-resistant. Post connectors provide exceptional stabilization.




Never rust

Can be used anywhere, no matter moist or dry weldless, never rust. Resists corrosion by brine or marine air. Suitable for coolers and freezers, available under -38°C.



Easy to Clean

Cleaning shelving shouldn't be a major production. Whether daily or scheduled, cleaning can be done quickly and easily without interrupting storage space or normal, day-to-day operations.



Winshelvings

Basic Unit

The components of shelf can be formed into various specifications of basic units.



Vented Basic Unit



Solid Basic Unit


Add-on Unit

When added to a basic unit, the traverses on the first and second unit share the middle post. As a result, only two additional posts, instead of four posts or any add-on clips, are needed.



Corner Unit and U shape Unit


Corner connectors can build corner units and U-shape units. Traverses snap onto corner connectors just like they snap onto the dovetails of the posts.




Mobile Unit

Inserting the specialized bolts into the casters to change the storage shelves into the move aluminum shelving system. Mobile units are unsuitable to be used as transporting cart.

Winshelvings Size Diagram



Stationary Units



Mobile Unit

Weight Bearing Capacity

Weight must be evenly distributed throughout the frame.

		Length 910-1220 mm	Width 1370-1825mm
Single Unit	Weight Bearing capacity per for shelves	1400 kg	1000 kg
	Weight Bearing capacity per unit	350	250
Corner Unit	Weight Bearing capacity per for shelves	600	—
	Weight Bearing capacity per unit	150	—
Mobile Unit	Weight Bearing capacity per for shelves	340	—
Dunnage Stand	Single Unit	450	—

Note: As the casters have load-bearing capacity, the maximum load-bearing capacity of the mobile frame is 340 kg.

Winshelvings Parts

Casters

It is suitable for all storage areas, especially for refrigerated rooms and wet areas. It consists of highly durable, non corroded plastic and 127mm non marking thermoplastic rubber universal wheel.



Art.No.	PSL	PS
Direction	With Brake	Without Brake
Size	127mm / 5"	127mm / 5"

Corner Connector Set

Corner connectors can be used to build corner units or U-shaped units.

A set of corner connectors is needed for each shelf.

When corner connectors are used, weight bearing capacity will be decreased to 180kg per shelf.

Recommended for travelers equal to or shorter than 1220mm.



Tool for assembling removing corner connector .




PCC
Including tow about

Shelf Plates

The material of shelf plates is polypropylene.

The design of shelf plates is solid or vented.



Vented Shelf Kits



Solid Shelf Kits



Post Connectors

Post connectors hold two posts together and define the width of the unit.

Be made of polypropylene, provide exceptional cross stabilization.



Dunnage Stand

Recommended for 1370mm or longer.

Recommended for weight bearing capacity to 450kg on the bottom shelf.





Winshelvings Parts

Fence system

Used to prevent the stored items from falling off shelving.
Ideal for mobile shelving units.

	Fits Traverse	910 ^{36"} mm	1060 ^{42"} mm	1220 ^{48"} mm	1370 ^{54"} mm	1525 ^{60"} mm	1825 ^{72"} mm
	Art No	FSD362	FSD422	FSD482	FSD542	FSD602	FSD722
	Brackets	2	3	4	4	4	5
	Rods	2	2	2	2	2	2
	Rods Length	Φ 10x830	Φ 10x980	Φ 10x1140	Φ 10x1290	Φ 10x1445	Φ 10x1750

	Art No	FSS361	FSS421	FSS481	FSS541	FSS601	FSS721
	Brackets	2	3	3	4	4	5
	Rods	1	1	1	1	1	1
	Rods Length	Φ 10x830	Φ 10x980	Φ 10x1140	Φ 10x1290	Φ 10x1445	Φ 10x1750

	Fits Post Connector	355 ^{14"} mm	455 ^{18"} mm	530 ^{21"} mm	610 ^{24"} mm
	Art No	FSE14	FSE18	FSE21	FSE24
	Brackets	2	2	2	2
	Rods	2	2	2	2
	Rods Length	Φ 10x253	Φ 10x353	Φ 10x428	Φ 10x508

Stationary Post kits And Accessories



1600mm
Height

Art.No.	Width x Height
PSPK1464	355 x 1600 mm
PSPK1864	455 x 1600 mm
PSPK2164	530 x 1600 mm
PSPK2464	610 x 1600 mm

Winshelvings PVC Cover



530mm
Width

Art.No.	Length x Width x Height
JW-PSU362172VC	910 x 530 x 1800 mm
JW-PSU422172VC	1060 x 530 x 1800 mm
JW-PSU482172VC	1220 x 530 x 1800 mm
JW-PSU542172VC	1370 x 530 x 1800 mm
JW-PSU602172VC	1525 x 530 x 1800 mm

1800mm
Height

Art.No.	Width x Height
PSPK1472	355 x 1800 mm
PSPK1872	455 x 1800 mm
PSPK2172	530 x 1800 mm
PSPK2472	610 x 1800 mm

610mm
Width

Art.No.	Length x Width x Height
JW-PSU362472VC	910 x 610 x 1800 mm
JW-PSU422472VC	1060 x 610 x 1800 mm
JW-PSU482472VC	1220 x 610 x 1800 mm
JW-PSU542472VC	1370 x 610 x 1800 mm
JW-PSU602472VC	1525 x 610 x 1800 mm

2000mm
Height

Art.No.	Width x Height
PSPK1480	355 x 2000 mm
PSPK1880	455 x 2000 mm
PSPK2180	530 x 2000 mm
PSPK2480	610 x 2000 mm

Heavy-duty Rack

To store frozen, cold and dry items 22.5cm safely off the floor.

Rust free, corrosion proof and non-blending, the maximum weight load is 350kg.

Different sizes of 6 heights, 4 widths of corner connectors and dunnage stand are available.

Above 1220mm size must be assembled with dunnage stands and corner connectors to make sure its load capacity.



Vented Dunnage Rack



Solid Dunnage Rack



Art.No.	Length x Width
PSH3614	910 x 355 mm
PSH4214	1060 x 355 mm
PSH4814	1220 x 355 mm
PSH5414	1370 x 355 mm
PSH6014	1525 x 355 mm
PSH7214	1825 x 355 mm

Art.No.	Length x Width
PSH3618	910 x 455 mm
PSH4218	1060 x 455 mm
PSH4818	1220 x 455 mm
PSH5418	1370 x 455 mm
PSH6018	1525 x 455 mm
PSH7218	1825 x 455 mm

Art.No.	Length x Width
PSH3621	910 x 530 mm
PSH4221	1060 x 530 mm
PSH4821	1220 x 530 mm
PSH5421	1370 x 530 mm
PSH6021	1525 x 530 mm
PSH7221	1825 x 530 mm

Art.No.	Length x Width
PSH3624	910 x 610 mm
PSH4224	1060 x 610 mm
PSH4824	1220 x 610 mm
PSH5424	1370 x 610 mm
PSH6024	1525 x 610 mm
PSH7224	1825 x 610 mm

Vented Shelf Kits



Art.No.	Length x Width
PS3614VK	910 x 355 mm
PS4214VK	1060 x 355 mm
PS4814VK	1220 x 355 mm
PS5414VK	1370 x 355 mm
PS6014VK	1525 x 355 mm
PS7214VK	1825 x 355 mm

Art.No.	Length x Width
PS3618VK	910 x 455 mm
PS4218VK	1060 x 455 mm
PS4818VK	1220 x 455 mm
PS5418VK	1370 x 455 mm
PS6018VK	1525 x 455 mm
PS7218VK	1825 x 455 mm

Art.No.	Length x Width
PS3621VK	910 x 530 mm
PS4221VK	1060 x 530 mm
PS4821VK	1220 x 530 mm
PS5421VK	1370 x 530 mm
PS6021VK	1525 x 530 mm
PS7221VK	1825 x 530 mm

Art.No.	Length x Width
PS3624VK	910 x 610 mm
PS4224VK	1060 x 610 mm
PS4824VK	1220 x 610 mm
PS5424VK	1370 x 610 mm
PS6024VK	1525 x 610 mm
PS7224VK	1825 x 610 mm

Solid Shelf Kits




Art.No.	Length x Width
PS3618SK	910 x 455 mm
PS4218SK	1060 x 455 mm
PS4818SK	1220 x 455 mm
PS5418SK	1370 x 455 mm
PS6018SK	1525 x 455 mm
PS7218SK	1825 x 455 mm

Art.No.	Length x Width
PS3621SK	910 x 530 mm
PS4221SK	1060 x 530 mm
PS4821SK	1220 x 530 mm
PS5421SK	1370 x 530 mm
PS6021SK	1525 x 530 mm
PS7221SK	1825 x 530 mm

Art.No.	Length x Width
PS3624SK	910 x 610 mm
PS4224SK	1060 x 610 mm
PS4824SK	1220 x 610 mm
PS5424SK	1370 x 610 mm
PS6024SK	1525 x 610 mm
PS7224SK	1825 x 610 mm

1600mm
Height



355mm Width **Vented Starter Units**

Art.No.	Length x Width x Height
PSU361464	910 x 355 x 1600 mm
PSU421464	1060 x 355 x 1600 mm
PSU481464	1220 x 355 x 1600 mm
PSU541464	1370 x 355 x 1600 mm
PSU601464	1525 x 355 x 1600 mm
PSU721464	1825 x 355 x 1600 mm



Vented Starter Add-on Units

Art.No.	Length x Width x Height
PSA361464	910 x 355 x 1600 mm
PSA421464	1060 x 355 x 1600 mm
PSA481464	1220 x 355 x 1600 mm
PSA541464	1370 x 355 x 1600 mm
PSA601464	1525 x 355 x 1600 mm
PSA721464	1825 x 355 x 1600 mm

455mm
Width

Art.No.	Length x Width x Height
PSU361864	910 x 455 x 1600 mm
PSU421864	1060 x 455 x 1600 mm
PSU481864	1220 x 455 x 1600 mm
PSU541864	1370 x 455 x 1600 mm
PSU601864	1525 x 455 x 1600 mm
PSU721864	1825 x 455 x 1600 mm

Art.No.	Length x Width x Height
PSA361864	910 x 455 x 1600 mm
PSA421864	1060 x 455 x 1600 mm
PSA481864	1220 x 455 x 1600 mm
PSA541864	1370 x 455 x 1600 mm
PSA601864	1525 x 455 x 1600 mm
PSA721864	1825 x 455 x 1600 mm

530mm
Width

Art.No.	Length x Width x Height
PSU362164	910 x 530 x 1600 mm
PSU422164	1060 x 530 x 1600 mm
PSU482164	1220 x 530 x 1600 mm
PSU542164	1370 x 530 x 1600 mm
PSU602164	1525 x 530 x 1600 mm
PSU722164	1825 x 530 x 1600 mm

Art.No.	Length x Width x Height
PSA362164	910 x 530 x 1600 mm
PSA422164	1060 x 530 x 1600 mm
PSA482164	1220 x 530 x 1600 mm
PSA542164	1370 x 530 x 1600 mm
PSA602164	1525 x 530 x 1600 mm
PSA722164	1825 x 530 x 1600 mm

610mm
Width

Art.No.	Length x Width x Height
PSU362464	910 x 610 x 1600 mm
PSU422464	1060 x 610 x 1600 mm
PSU482464	1220 x 610 x 1600 mm
PSU542464	1370 x 610 x 1600 mm
PSU602464	1525 x 610 x 1600 mm
PSU722464	1825 x 610 x 1600 mm

Art.No.	Length x Width x Height
PSA362464	910 x 610 x 1600 mm
PSA422464	1060 x 610 x 1600 mm
PSA482464	1220 x 610 x 1600 mm
PSA542464	1370 x 610 x 1600 mm
PSA602464	1525 x 610 x 1600 mm
PSA722464	1825 x 610 x 1600 mm

1800mm
Height



355mm Width **Vented Starter Units**

Art.No.	Length x Width x Height
PSU361472	910 x 355 x 1800 mm
PSU421472	1060 x 355 x 1800 mm
PSU481472	1220 x 355 x 1800 mm
PSU541472	1370 x 355 x 1800 mm
PSU601472	1525 x 355 x 1800 mm
PSU721472	1825 x 355 x 1800 mm



Vented Starter Add-on Units

Art.No.	Length x Width x Height
PSA361472	910 x 355 x 1800 mm
PSA421472	1060 x 355 x 1800 mm
PSA481472	1220 x 355 x 1800 mm
PSA541472	1370 x 355 x 1800 mm
PSA601472	1525 x 355 x 1800 mm
PSA721472	1825 x 355 x 1800 mm

455mm
Width

Art.No.	Length x Width x Height
PSU361872	910 x 455 x 1800 mm
PSU421872	1060 x 455 x 1800 mm
PSU481872	1220 x 455 x 1800 mm
PSU541872	1370 x 455 x 1800 mm
PSU601872	1525 x 455 x 1800 mm
PSU721872	1825 x 455 x 1800 mm

Art.No.	Length x Width x Height
PSA361872	910 x 455 x 1800 mm
PSA421872	1060 x 455 x 1800 mm
PSA481872	1220 x 455 x 1800 mm
PSA541872	1370 x 455 x 1800 mm
PSA601872	1525 x 455 x 1800 mm
PSA721872	1825 x 455 x 1800 mm

530mm
Width

Art.No.	Length x Width x Height
PSU362172	910 x 530 x 1800 mm
PSU422172	1060 x 530 x 1800 mm
PSU482172	1220 x 530 x 1800 mm
PSU542172	1370 x 530 x 1800 mm
PSU602172	1525 x 530 x 1800 mm
PSU722172	1825 x 530 x 1800 mm

Art.No.	Length x Width x Height
PSA362172	910 x 530 x 1800 mm
PSA422172	1060 x 530 x 1800 mm
PSA482172	1220 x 530 x 1800 mm
PSA542172	1370 x 530 x 1800 mm
PSA602172	1525 x 530 x 1800 mm
PSA722172	1825 x 530 x 1800 mm

610mm
Width

Art.No.	Length x Width x Height
PSU362472	910 x 610 x 1800 mm
PSU422472	1060 x 610 x 1800 mm
PSU482472	1220 x 610 x 1800 mm
PSU542472	1370 x 610 x 1800 mm
PSU602472	1525 x 610 x 1800 mm
PSU722472	1825 x 610 x 1800 mm

Art.No.	Length x Width x Height
PSA362472	910 x 610 x 1800 mm
PSA422472	1060 x 610 x 1800 mm
PSA482472	1220 x 610 x 1800 mm
PSA542472	1370 x 610 x 1800 mm
PSA602472	1525 x 610 x 1800 mm
PSA722472	1825 x 610 x 1800 mm

2000mm
Height



355mm Width **Vented Starter Units**

Art.No.	Length x Width x Height
PSU361480	910 x 355 x 2000 mm
PSU421480	1060 x 355 x 2000 mm
PSU481480	1220 x 355 x 2000 mm
PSU541480	1370 x 355 x 2000 mm
PSU601480	1525 x 355 x 2000 mm
PSU721480	1825 x 355 x 2000 mm



Vented Starter Add-on Units

Art.No.	Length x Width x Height
PSA361480	910 x 355 x 2000 mm
PSA421480	1060 x 355 x 2000 mm
PSA481480	1220 x 355 x 2000 mm
PSA541480	1370 x 355 x 2000 mm
PSA601480	1525 x 355 x 2000 mm
PSA721480	1825 x 355 x 2000 mm

455mm
Width

Art.No.	Length x Width x Height
PSU361880	910 x 455 x 2000 mm
PSU421880	1060 x 455 x 2000 mm
PSU481880	1220 x 455 x 2000 mm
PSU541880	1370 x 455 x 2000 mm
PSU601880	1525 x 455 x 2000 mm
PSU721880	1825 x 455 x 2000 mm

Art.No.	Length x Width x Height
PSA361880	910 x 455 x 2000 mm
PSA421880	1060 x 455 x 2000 mm
PSA481880	1220 x 455 x 2000 mm
PSA541880	1370 x 455 x 2000 mm
PSA601880	1525 x 455 x 2000 mm
PSA721880	1825 x 455 x 2000 mm

530mm
Width

Art.No.	Length x Width x Height
PSU362180	910 x 530 x 2000 mm
PSU422180	1060 x 530 x 2000 mm
PSU482180	1220 x 530 x 2000 mm
PSU542180	1370 x 530 x 2000 mm
PSU602180	1525 x 530 x 2000 mm
PSU722180	1825 x 530 x 2000 mm

Art.No.	Length x Width x Height
PSA362180	910 x 530 x 2000 mm
PSA422180	1060 x 530 x 2000 mm
PSA482180	1220 x 530 x 2000 mm
PSA542180	1370 x 530 x 2000 mm
PSA602180	1525 x 530 x 2000 mm
PSA722180	1825 x 530 x 2000 mm

610mm
Width

Art.No.	Length x Width x Height
PSU362480	910 x 610 x 2000 mm
PSU422480	1060 x 610 x 2000 mm
PSU482480	1220 x 610 x 2000 mm
PSU542480	1370 x 610 x 2000 mm
PSU602480	1525 x 610 x 2000 mm
PSU722480	1825 x 610 x 2000 mm

Art.No.	Length x Width x Height
PSA362480	910 x 610 x 2000 mm
PSA422480	1060 x 610 x 2000 mm
PSA482480	1220 x 610 x 2000 mm
PSA542480	1370 x 610 x 2000 mm
PSA602480	1525 x 610 x 2000 mm
PSA722480	1825 x 610 x 2000 mm

1600mm
Height



Solid Starter Units



Solid Starter Add-on Units

455mm
Width

Art.No.	Length x Width x Height
PSS361864	910 x 455 x 1600 mm
PSS421864	1060 x 455 x 1600 mm
PSS481864	1220 x 455 x 1600 mm
PSS541864	1370 x 455 x 1600 mm
PSS601864	1525 x 455 x 1600 mm
PSS721864	1825 x 455 x 1600 mm

Art.No.	Length x Width x Height
PSD361864	910 x 455 x 1600 mm
PSD421864	1060 x 455 x 1600 mm
PSD481864	1220 x 455 x 1600 mm
PSD541864	1370 x 455 x 1600 mm
PSD601864	1525 x 455 x 1600 mm
PSD721864	1825 x 455 x 1600 mm

530mm
Width

Art.No.	Length x Width x Height
PSS362164	910 x 530 x 1600 mm
PSS422164	1060 x 530 x 1600 mm
PSS482164	1220 x 530 x 1600 mm
PSS542164	1370 x 530 x 1600 mm
PSS602164	1525 x 530 x 1600 mm
PSS722164	1825 x 530 x 1600 mm

Art.No.	Length x Width x Height
PSD362164	910 x 530 x 1600 mm
PSD422164	1060 x 530 x 1600 mm
PSD482164	1220 x 530 x 1600 mm
PSD542164	1370 x 530 x 1600 mm
PSD602164	1525 x 530 x 1600 mm
PSD722164	1825 x 530 x 1600 mm

610mm
Width

Art.No.	Length x Width x Height
PSS362464	910 x 610 x 1600 mm
PSS422464	1060 x 610 x 1600 mm
PSS482464	1220 x 610 x 1600 mm
PSS542464	1370 x 610 x 1600 mm
PSS602464	1525 x 610 x 1600 mm
PSS722464	1825 x 610 x 1600 mm

Art.No.	Length x Width x Height
PSD362464	910 x 610 x 1600 mm
PSD422464	1060 x 610 x 1600 mm
PSD482464	1220 x 610 x 1600 mm
PSD542464	1370 x 610 x 1600 mm
PSD602464	1525 x 610 x 1600 mm
PSD722464	1825 x 610 x 1600 mm

**1800mm
Height**



Solid Starter Units



Solid Starter Add-on Units

**455mm
Width**

Art.No.	Length x Width x Height
PSS361872	910 x 455 x 1800 mm
PSS421872	1060 x 455 x 1800 mm
PSS481872	1220 x 455 x 1800 mm
PSS541872	1370 x 455 x 1800 mm
PSS601872	1525 x 455 x 1800 mm
PSS721872	1825 x 455 x 1800 mm

Art.No.	Length x Width x Height
PSD361872	910 x 455 x 1800 mm
PSD421872	1060 x 455 x 1800 mm
PSD481872	1220 x 455 x 1800 mm
PSD541872	1370 x 455 x 1800 mm
PSD601872	1525 x 455 x 1800 mm
PSD721872	1825 x 455 x 1800 mm

**530mm
Width**

Art.No.	Length x Width x Height
PSS362172	910 x 530 x 1800 mm
PSS422172	1060 x 530 x 1800 mm
PSS482172	1220 x 530 x 1800 mm
PSS542172	1370 x 530 x 1800 mm
PSS602172	1525 x 530 x 1800 mm
PSS722172	1825 x 530 x 1800 mm

Art.No.	Length x Width x Height
PSD362172	910 x 530 x 1800 mm
PSD422172	1060 x 530 x 1800 mm
PSD482172	1220 x 530 x 1800 mm
PSD542172	1370 x 530 x 1800 mm
PSD602172	1525 x 530 x 1800 mm
PSD722172	1825 x 530 x 1800 mm

**610mm
Width**

Art.No.	Length x Width x Height
PSS362472	910 x 610 x 1800 mm
PSS422472	1060 x 610 x 1800 mm
PSS482472	1220 x 610 x 1800 mm
PSS542472	1370 x 610 x 1800 mm
PSS602472	1525 x 610 x 1800 mm
PSS722472	1825 x 610 x 1800 mm

Art.No.	Length x Width x Height
PSD362472	910 x 610 x 1800 mm
PSD422472	1060 x 610 x 1800 mm
PSD482472	1220 x 610 x 1800 mm
PSD542472	1370 x 610 x 1800 mm
PSD602472	1525 x 610 x 1800 mm
PSD722472	1825 x 610 x 1800 mm

**2000mm
Height**



Solid Starter Units



Solid Starter Add-on Units

**455mm
Width**

Art.No.	Length x Width x Height
PSS361880	910 x 455 x 2000 mm
PSS421880	1060 x 455 x 2000 mm
PSS481880	1220 x 455 x 2000 mm
PSS541880	1370 x 455 x 2000 mm
PSS601880	1525 x 455 x 2000 mm
PSS721880	1825 x 455 x 2000 mm

Art.No.	Length x Width x Height
PSD361880	910 x 455 x 2000 mm
PSD421880	1060 x 455 x 2000 mm
PSD481880	1220 x 455 x 2000 mm
PSD541880	1370 x 455 x 2000 mm
PSD601880	1525 x 455 x 2000 mm
PSD721880	1825 x 455 x 2000 mm

**530mm
Width**

Art.No.	Length x Width x Height
PSS362180	910 x 530 x 2000 mm
PSS422180	1060 x 530 x 2000 mm
PSS482180	1220 x 530 x 2000 mm
PSS542180	1370 x 530 x 2000 mm
PSS602180	1525 x 530 x 2000 mm
PSS722180	1825 x 530 x 2000 mm

Art.No.	Length x Width x Height
PSD362180	910 x 530 x 2000 mm
PSD422180	1060 x 530 x 2000 mm
PSD482180	1220 x 530 x 2000 mm
PSD542180	1370 x 530 x 2000 mm
PSD602180	1525 x 530 x 2000 mm
PSD722180	1825 x 530 x 2000 mm

**610mm
Width**

Art.No.	Length x Width x Height
PSS362480	910 x 610 x 2000 mm
PSS422480	1060 x 610 x 2000 mm
PSS482480	1220 x 610 x 2000 mm
PSS542480	1370 x 610 x 2000 mm
PSS602480	1525 x 610 x 2000 mm
PSS722480	1825 x 610 x 2000 mm

Art.No.	Length x Width x Height
PSD362480	910 x 610 x 2000 mm
PSD422480	1060 x 610 x 2000 mm
PSD482480	1220 x 610 x 2000 mm
PSD542480	1370 x 610 x 2000 mm
PSD602480	1525 x 610 x 2000 mm
PSD722480	1825 x 610 x 2000 mm


High Density Mobile Shelving Storage System

Maximum storage capacity can be achieved by forming a storage channel in all available space. The mobile shelving storage system is composed of the basic units on the raised track, with high density movable shelves in the middle.

Tracks are easy to be installed without drilling or bonding.

40%
Increase Storage
Capacity

A: Stationary Units
B: Mobile Units
C: Track
D: Active Aisle




The track conveniently connects to the bottom of stationary shelving, no bolts or drilling into the floor are required. Using the connecting bolt to fasten the track.



Raised track provides a smooth surface for mobile units. It ensures dirt will not get trapped, and is easy to clean. Shelves unit with heavy weight lands can roll smoothly on the track.

Grooved casters roll easily on raised track, which can be used on any surface. The caster with a bumper can provide protection.




High Density Mobile Shelving Storage System

Caster


High Density Mobile Unit includes 4 High Density Casters with 4 High Density Donut Bumpers.
Weight bearing capacity of High Density Mobile Unit is 340kg.
All necessary hardware is included in the track kit.

Art.No.	Name	Size
JW-HDC5	5" High Density Caster	127mm / 5"
JW-HDDB5	5" High Density Bumper	127mm / 5"



Track

Art.No.	Name	Size
JW-GD3050	3050mm track kit for 3 move units	3050mm
JW-GD3660	3660mm track kit for 3 move units	3660mm
JW-GD4420	4420mm track kit for 3 move units	4420mm



530mm Width

Art.No.	Length x Width x Height
PSU362172M	910 x 530 x 1880 mm
PSU422172M	1060 x 530 x 1880 mm
PSU482172M	1220 x 530 x 1880 mm
PSU542172M	1370 x 530 x 1880 mm
PSU602172M	1525 x 530 x 1880 mm
PSU722172M	1825 x 530 x 1880 mm

Art.No.	Length x Width x Height
PSS362172M	910 x 530 x 1880 mm
PSS422172M	1060 x 530 x 1880 mm
PSS482172M	1220 x 530 x 1880 mm
PSS542172M	1370 x 530 x 1880 mm
PSS602172M	1525 x 530 x 1880 mm
PSS722172M	1825 x 530 x 1880 mm

610mm Width

Art.No.	Length x Width x Height
PSU362472M	910 x 610 x 1880 mm
PSU422472M	1060 x 610 x 1880 mm
PSU482472M	1220 x 610 x 1880 mm
PSU542472M	1370 x 610 x 1880 mm
PSU602472M	1525 x 610 x 1880 mm
PSU722472M	1825 x 610 x 1880 mm

Art.No.	Length x Width x Height
PSS362472M	910 x 610 x 1880 mm
PSS422472M	1060 x 610 x 1880 mm
PSS482472M	1220 x 610 x 1880 mm
PSS542472M	1370 x 610 x 1880 mm
PSS602472M	1525 x 610 x 1880 mm
PSS722472M	1825 x 610 x 1880 mm

Epoxy Wire Shelving

Providing the ideal storage solution: epoxy mesh multiple sizes available.
 Open wire construction allows a free circulation of air.
 Open design allows greater visibility of stored items which is convenient to check.
 Different shapes are available based on different circumstance.
 Adjustable to various heights.
 Each shelf supports up to 250kgs, without casters.
 Color: blue, green, black, silver.



1600mm Height

Art.No.	Length x Width x Height
EN241863	610X455X1600 MM
EN301863	760X455X1600 MM
EN361863	910X455X1600 MM
EN421863	1060X455X1600 MM
EN481863	1220X455X1600 MM
EN541863	1370X455X1600 MM
EN601863	1525X455X1600 MM
EN721863	1825X455X1600 MM
EN242163	610X530X1600 MM
EN302163	760X530X1600 MM
EN362163	910X530X1600 MM
EN422163	1060X530X1600 MM

Art.No.	Length x Width x Height
EN482163	1220X530X1600 MM
EN542163	1370X530X1600 MM
EN602163	1525X530X1600 MM
EN722163	1825X530X1600 MM
EN242463	610X610X1600 MM
EN302463	760X610X1600 MM
EN362463	910X610X1600 MM
EN422463	1060X610X1600 MM
EN482463	1220X610X1600 MM
EN542463	1370X610X1600 MM
EN602463	1525X610X1600 MM
EN722463	1825X610X1600 MM

1800mm Height

Art.No.	Length x Width x Height
EN241871	610X455X1800 MM
EN301871	760X455X1800 MM
EN361871	910X455X1800 MM
EN421871	1060X455X1800 MM
EN481871	1220X455X1800 MM
EN541871	1370X455X1800 MM
EN601871	1525X455X1800 MM
EN721871	1825X455X1800 MM
EN242171	610X530X1800 MM
EN302171	760X530X1800 MM
EN362171	910X530X1800 MM
EN422171	1060X530X1800 MM

Art.No.	Length x Width x Height
EN482171	1220X530X1800 MM
EN542171	1370X530X1800 MM
EN602171	1525X530X1800 MM
EN722171	1825X530X1800 MM
EN242471	610X610X1800 MM
EN302471	760X610X1800 MM
EN362471	910X610X1800 MM
EN422471	1060X610X1800 MM
EN482471	1220X610X1800 MM
EN542471	1370X610X1800 MM
EN602471	1525X610X1800 MM
EN722471	1825X610X1800 MM

S/S Shelving / Chromed Shelving

Providing the ideal storage solution; S/S/ Chromed mesh, multiple sizes available. Open wire construction allows a free circulation of air. Open design allows greater visibility of stored items which is convenient to check. Different shapes are available based on different circumstance. Adjustable to various heights easily. Each shelf supports up to 250kgs, without casters.



Assemble easily Adjust simply Adjust efficiently Assemble easily Use variously



Caster

Art.No.	Name	Size
JW-5S	5" Universal Casters	127mm / 5"
JW-5SC	5" Universal Casters With Brake	127mm / 5"



1600mm Height

Art.No.	Length x Width x Height
SN241863	610X455X1600 MM
SN301863	760X455X1600 MM
SN361863	910X455X1600 MM
SN421863	1060X455X1600 MM
SN481863	1220X455X1600 MM
SN541863	1370X455X1600 MM
SN601863	1525X455X1600 MM
SN721863	1825X455X1600 MM
SN242163	610X530X1600 MM
SN302163	760X530X1600 MM
SN362163	910X530X1600 MM
SN422163	1060X530X1600 MM

Art.No.	Length x Width x Height
SN482163	1220X530X1600 MM
SN542163	1370X530X1600 MM
SN602163	1525X530X1600 MM
SN722163	1825X530X1600 MM
SN242463	610X610X1600 MM
SN302463	760X610X1600 MM
SN362463	910X610X1600 MM
SN422463	1060X610X1600 MM
SN482463	1220X610X1600 MM
SN542463	1370X610X1600 MM
SN602463	1525X610X1600 MM
SN722463	1825X610X1600 MM

1800mm Height

Art.No.	Length x Width x Height
SN241871	610X455X1800 MM
SN301871	760X455X1800 MM
SN361871	910X455X1800 MM
SN421871	1060X455X1800 MM
SN481871	1220X455X1800 MM
SN541871	1370X455X1800 MM
SN601871	1525X455X1800 MM
SN721871	1825X455X1800 MM
SN242171	610X530X1800 MM
SN302171	760X530X1800 MM
SN362171	910X530X1800 MM
SN422171	1060X530X1800 MM

Art.No.	Length x Width x Height
SN482171	1220X530X1800 MM
SN542171	1370X530X1800 MM
SN602171	1525X530X1800 MM
SN722171	1825X530X1800 MM
SN242471	610X610X1800 MM
SN302471	760X610X1800 MM
SN362471	910X610X1800 MM
SN422471	1060X610X1800 MM
SN482471	1220X610X1800 MM
SN542471	1370X610X1800 MM
SN602471	1525X610X1800 MM
SN722471	1825X610X1800 MM

1600mm Height

Art.No.	Length x Width x Height
CN241863	610X455X1600 MM
CN301863	760X455X1600 MM
CN361863	910X455X1600 MM
CN421863	1060X455X1600 MM
CN481863	1220X455X1600 MM
CN541863	1370X455X1600 MM
CN601863	1525X455X1600 MM
CN721863	1825X455X1600 MM
CN242163	610X530X1600 MM
CN302163	760X530X1600 MM
CN362163	910X530X1600 MM
CN422163	1060X530X1600 MM

Art.No.	Length x Width x Height
CN482163	1220X530X1600 MM
CN542163	1370X530X1600 MM
CN602163	1525X530X1600 MM
CN722163	1825X530X1600 MM
CN242463	610X610X1600 MM
CN302463	760X610X1600 MM
CN362463	910X610X1600 MM
CN422463	1060X610X1600 MM
CN482463	1220X610X1600 MM
CN542463	1370X610X1600 MM
CN602463	1525X610X1600 MM
CN722463	1825X610X1600 MM

1800mm Height

Art.No.	Length x Width x Height
CN241871	610X455X1800 MM
CN301871	760X455X1800 MM
CN361871	910X455X1800 MM
CN421871	1060X455X1800 MM
CN481871	1220X455X1800 MM
CN541871	1370X455X1800 MM
CN601871	1525X455X1800 MM
CN721871	1825X455X1800 MM
CN242171	610X530X1800 MM
CN302171	760X530X1800 MM
CN362171	910X530X1800 MM
CN422171	1060X530X1800 MM

Art.No.	Length x Width x Height
CN482171	1220X530X1800 MM
CN542171	1370X530X1800 MM
CN602171	1525X530X1800 MM
CN722171	1825X530X1800 MM
CN242471	610X610X1800 MM
CN302471	760X610X1800 MM
CN362471	910X610X1800 MM
CN422471	1060X610X1800 MM
CN482471	1220X610X1800 MM
CN542471	1370X610X1800 MM
CN602471	1525X610X1800 MM
CN722471	1825X610X1800 MM

Wine Storage Rack

Standard four-tier of 15" spacing distribution


Each shelf equips with 4 stencils according to different sizes of bottles to separate different sizes of storage space.

Grid structure ensures the flow of air which is helpful for temperature controlling.

The sealed back and side panels can keep the bottles safe and prevent accidents.

Front door with locks is for security.

Two different sizes are available.



Exquisite Workmanship



Movable & Foldable



Maintain te 10° tilt up



With safety lock

Art.No.	Name	Size	Material	Carrying Capacity	PCS/CTN
JW-WSS3614	910mm S/S Wine Storage Rack	910x355x1900 mm	S/S	12 boxes	1
JW-WSS4814	1220mm S/S Wine Storage Rack	1220x355x1900 mm	S/S	16 boxes	1
JW-WSC3614	910mm Chromed Wine Storage Rack	910x355x1900 mm	Chromed	12 boxes	1
JW-WSC4814	1220mm Chromed Wine Storage Rack	1220x355x1900 mm	Chromed	16 boxes	1

Insulated Food Servers NSF

- It can hold food pans in sizes of 1/1, 1/2. With seamless PE construction, thick foam material, tenacious padlock and a dismountable airtight gasket, it can preserve food heated for several hours without external power supply.
- A vent cap can balance pressure and help easy opening.
- Non-slip handles make it easier to be carried.
- A durable nylon latch will never get rust.

Material: PE,PU
 Colour: Grey


Accessories Available



Art.No.	JW-FOC
Name	Ultra Carts
Size	710x530x230 mm
Colour	Grey
PCS/CTN	1

Note: JW-FOC Suitable for JW-SIF, JW-SIN

Insulation Effect



Art.No.	JW-SIF	JW-DOW
Name	Ultra Carts For Food Pan	Double For Food Carries
Outer Size	477x680x620 mm	508x700x1200 mm
Inter Size	335x533x495 mm	335x533x420 mm 两层
GN1/1 Height 6.5cm	6PCS	10PCS
GN1/1 Height 10cm	4PCS	6PCS
GN1/1 Height 15cm	3PCS	4PCS
GN1/1 Height 20cm	2PCS	4PCS
PCS/CTN	1	1

Sliding Ice Caddy

- The caddy stores ices and keeps ices from melting.
- Thick foam construction helps better preservation.
- The sliding lid helps to reduce cross contamination.
- The water tank and a drain shelf separate water and ices, prolonging storage time.
- The ergonomically designed handles make transporting easy.
- Installation is needed.

Material: PE,PU

Colour: Grey



Art.No.	JW-SLI
Name	Sliding Ice Caddy
Outer Size	585x800x745 mm
Capacity	110L
Weight Capacity(ice)	57KG
PCS/CTN	1





EPP Insulated Pan Carrier

- It can hold more than GN1/1 pan.
- Made of EPP material, sturdy, light and durable
- Great structural strenght, capable of hand ling significant loads while maintaining its shape and form.
- With good insulation and heat resistance, it can withstand temperature from -40°C to $+120^{\circ}\text{C}$.
- Ideal to store hot and cold food safely for hours
- Clean, sealed, 100% recyclable.

-40°C to 120°C




Insulation Effect




Art.No.	JW-CD2516	JW-EPP160	JW-EPP180	JW-EPP400
Name	EPP Insulated Pan Carrier Cart	EPP160 Insulated Pan Carrier	EPP180 Insulated Pan Carrier	EPP400 Insulated Pan Carrier
Outer Size	647x427x205 mm	600x400x260 mm	600x400x317 mm	640x435x630 mm
Inter Size	/	535x335x195 mm	535x335x252 mm	535x335x525 mm
Colour	Black+Silver	Black	Black	Black
Weight	4.1 kg	1.2 kg	1.3 kg	4.5 kg
PCS/CTN	1	1	1	1

EPP Insulated Pan Carrier


Insulated Pan Carrier Placement effect diagram



Insulated Pan Carrier Placement effect diagram



Features



Sealing slot design helps to maintain temperature for a longer time.



Can be stacked easily



Can store GN1/1 PAN



Inside label area for label placing



The built-in handle is convenient for grasping from four sides and easy to handle.



With guide track design, can hold 2-6pcs 1/1 GN pans



Declining edge helps easy door opening and closing



270° Open door

Mobile Plate Rack

- 48/84 plate mobile plate rack and 12/48-plate floor-standing plate rack are the most innovative, the most widely used plate rack at present.
- Can hold trays, dishes and flat plates.
- Can be adjusted to any size.
- Separating columns and rubber granules are made of soft copolymer resin, and this can protect plates from breaking.
- The separated design provides strong support and stability.
- 4" non-trace casters with brake of 48/84-plate rack are non-slip and resistant to oil and water, standing with higher stability and security.
- The rubber bottom granules of 12/48-plate rack can stick to the floor, standing more stably.
- With strict sanitary inspection, all materials are environmental-friendly, durable and will do no harm.




Art.No.	JW-DC12B	JW-DC48B
Name	Plate Rack For 12 Plates	Plate Rack For 48 Plates
Outer Size	350x350x460 mm	545x545x1080 mm
Axis Width	245 mm	245 mm
Max Width	350 mm	560 mm
PCS/CTN	1	1

- Can be used to store 40/80 plates.
- Can easily move plates soonest to storage or banquet areas.
- High-quality swivel caster care for stability.
- Save space and efficient working.



Vinyl Cover included for sanitary storage.



Art.No.	JW-DC48	JW-DC84	JW-DC40	JW-DC80
Name	Mobile Plate Rack For 48 Plates	Mobile Plate Rack For 84 Plates	Mobile Plate Rack For 40 Plates	Mobile Plate Rack For 80 Plates
Outer Size	730x730x1260 mm	730x730x1910 mm	575x575x1003 mm	575x575x1790 mm
Axis Width	245 mm	245 mm	790 mm	790 mm
Max Width	600 mm	675 mm	575 mm	575 mm
Vinyl Cover	JW-VC48	JW-VC84	JW-VC40	JW-VC80
PCS/CTN	1	1	1	1

Note: Vinyl cover needs to buy separately.

Adjustable Dish Caddy

- Streamlined design, PE dividing columns can prevent damages.
- Arcuate corners can protect using place from damages.
- Non-slip handles make easy moving.
- The dividers are adjustable.



Vinyl cover included for sanitary storage.



JW-DC160

DC160 can hold 4.5"-13" plates, trays and dishes. Maximum 4 dividers, 4 stacks, and 200 pcs.



JW-DC240

DC240 can hold 4.5"-13" plates, trays and dishes. Maximum 6 dividers, 6 stacks, and 300 pcs.



JW-DC320

DC320 can hold 4.5"-13" plates, trays and dishes. Maximum 6 dividers, 8 stacks, and 400 pcs.



JW-ADCS240

Dc240 can hold 4.5"-13" plates, trays and dishes. Maximum 6 dividers, 6 stacks, and 405 pcs

Art.No.	JW-DC320	JW-DC240	JW-DC160	JW-ADCS240
Name	Adjustable Dish Caddy	Adjustable Dish Caddy	Adjustable Dish Caddy	Adjustable Dish Caddy
Size	1090x720x800 mm	930x720x800mm	900x725x800 mm	960x860x765mm
Material	PE	PE	PE	PP
Colour	Brown	Brown	Brown	Brown
PCS/CTN	1	1	1	1

Adjustable Dish Caddy

JW-DC320



Dc320 Layout for 10" by 14-1/2" trays and 7-1/2" to 10" plates



Dc320 Layout for 12" by 9-1/4" and 9-1/2" by 7-1/4" plates



Dc320 Layout for 9-4/5" to 11-1/4" plates



DC320 Layout for 8" to 8-1/4" plates



DC320 Layout for 11-2/5" to 13" plates and 13-1/2" by 10-1/2" plates



DC320 Layout for 8-2/5" to 8-4/5" plates



DC320 Layout for 12" by 9" to 9-1/2" by 7-1/4" plates, 4-1/2" to 8" plates and 5-1/2" to 12" plates"

JW-DC240



DC240 Layout for 7" to 9" plates and 5-1/2" to 7" and 4-1/2" plate



Dc240 Layout for 9" to 13" plates



Dc240 Layout for 7" to 9" plates



DC240 Layout for 5-1/2" to 7" plates



DC240 Layout for 9" to 13" plates and 5" plates



DC240 Layout for 7" to 9" plates and 4-1/2" plates

JW-DC160




Dc160 layout for 6" to 13" plates




Dc160 layout for 4-1/2" to 6" plates


JW-ADCS240




Layout for 7" by 8" trays and 5.5" to 4.5" plates




Layout for 9" to 13" plates




Layout for 7" to 9" plates



Layout for 5.5" to 7" plates



Layout for 9" to 13" plates and 5" plates



Layout for 7" to 9" plates and 4.5" plates

Food Service Cart Products

Tray Table Ware Cart

- Designed to carry trays.
- Trays and accessories can be put inside the cart .
- Eight compartments on the top can place food pans to store tablewares, napkins and bagged seasonings.

Material:PE
 Colour:Brown
 Remark:Cart with vinyl cover

Art.No.	JW-TRT
Name	Tray Table Ware Cart
Size	820x540x1160 mm
Weight Capacity	100 kg
Tray Capacity	180-200PCS (IN two stacks)
Maximum Tray Size	360x460 mm
PCS/CTN	1

Food Pan Quantity

Food Pan Quantity / Size	Capacity
4 GN1/3 x 10 CM Height	It contains 100 knives, 100 spoons and 80 forks.
4 GN1/6 x 10 CM Height	It can accommodate various bags of seasoning.



Multiduty Service Cart

- Light and flexible, ideal for hotels, restaurants and bars.
- Can be used to collect and carry food or table wares in room service.
- PP material is environmental, sanitary, durable and easy to be cleaned.
- Three-tier design provides enough space for storage.
- Bear capacity: 120 KG
- With more convenient open top layer.
- Ergonomically designed handle can be comfortably and flexibly used.
- Optional with half open and full open.



Art.No.	JW-SED	JW-SEDO
Name	Multiduty Service Cart	Open Multiduty Service Cart
Outer Size	980x530x930 mm	980x530x930 mm
Comp. Size	800x530x300 mm	800x530x300 mm
Colour	Black	Black
Weight	19.3 kg	14.9 kg
Material	PP	PP
PCS/CTN	1	1



Art.No.	Name	Size	Capacity	Weight	Material	PCS/CTN
JW-PSC14	14L Debris Disc	515x379x126 mm	14L	830g	PP	12
JW-PSC19	19L Debris Disc	574x404x122 mm	19.2L	1100g	PP	12
JW-PSC22	22L Debris Disc	528x386x176 mm	22.6L	1080g	PP	12
JW-PSC26	26L Debris Disc	567x431x176 mm	26.2L	1270g	PP	12
JW-SH9	9L Tableware Box	330x230x178 mm	9L	620g	PP	6
JW-TC30	30L Trash Can	330x230x560 mm	30L	1535g	PP	6

Folding Cart

- Widely used in all kinds of restaurants and hotels.
- Thick stainless steel material structure, frosted surface, beautiful and durable.
- Buckle design, faster and simply folding or unfolding the cart.
- Folding storage can reduce the area of 50%.
- Ergonomic handle design, comfortable operation.
- 4" universal silent wheels, of which two with brakes; Safe and quiet.
- Bear capacity: 150KG.



Easily holds with one hand!



Art.No.	JW-FC2115	JW-FC3021
Name	Small Folding Cart	Big Folding Cart
Size	420x760x900 mm	520x990x900 mm
Colour	Black	Black
Weight	13.1 kg	17.6 kg
PCS/CTN	1	1

Rack Dolly



Art.No.	JW-RT	JW-ST
Name	Rack Dolly Without Handle	Rack Dolly With Handle
Size	540x540x185 mm	540x540x785 mm
Comp.Size	150KG	150KG
Colour	Blue	Blue
Material	PP	S/S,PP
PCS/CTN	1	1

Housekeeping Cart

- The surface is easy to clean up.
- The cart is with quiet design and will leave no mark when moving. Two casters are with brake.
- Standard equipment includes plastic bags, anti-collision devices, a vacuum storage rack and a bottom shelf.
- Large capacity cabinet can provide spacious storage space with an adjustable middle shelf.
- Ergonomically designed handle is easy to grab and control.
- An easy-control dust cover is in the upper part.
- Used to deliver food, goods and garbage in the hotel



Storage Bag
It can effectively collect and transfer towels or other items. Optional with black and yellow.


Goods Storage Rack
It can store a basket and other small items, saving storage space.

JW-HCC1



Optional with a pocket organizer caddy bag.

JW-9P



The top divider of housekeeping cart.

JW-HCCR

Protective cover
The rolling door type top cover can slide from front or back. It's convenient to use and can save storage space.



JW-HCD2



JW-HCF3

Plastic Door With Lock
Plastic door with a lock is safe and high-end.

Art.No.	Name	Size	Colour	Material	Weight Capacity	PCS/CTN
JW-HCC1	Standard Housekeeping Cart	1536x554x1252 mm	Black	PP	120 kg	1
JW-HCD2	Standard Housekeeping Cart	1536x554x1252 mm	Black	PP	120 kg	1
JW-HCF3	Luxury Housekeeping Cart	1536x554x1510 mm	Black	PP	120 kg	1
JW-HCCR	The top divider of housekeeping cart	620x480x65 mm	Black	PMMA	/	1
JW-9P	9-Pocket Organizer Caddy Bag for Housekeeping Cart	700x430 mm	Black	Vinyl	/	1

Step-on Container

- Designed to avoid touching garbage.
- The sealed lid can prevent odor from spilling.
- Tough, puncture-resistant, all-plastic construction won't rust or damage.
- Heavy pedal for hands-free use, avoiding cross infection.
- Material: HDPE&PP.
- Colour: Beige.



The inner barrel can be taken out to be cleaned and used alone.



The lid can be opened by stepping on the pedal according to the Lever Principle.



Art.NO.	Name	Size	Capacity	PCS/CTN
JW-CPT30	30.3L Step-on Container	480x380x440 mm	30.3L/8Gal.	4
JW-CPT45	45.5L Step-on Container	400x380x600 mm	45.4L/12Gal.	3
JW-CPT68	68.1L Step-on Container	500x400x670 mm	68.1L/18Gal.	3
JW-CPT87	87.1L Step-on Container	500x400x840 mm	87.1L/23Gal.	2
JW-CPT30W	30.3L Step-on Container without Inner Barrel	480x380x440 mm	30.3L/8Gal.	4
JW-CPT45W	45.5L Step-on Container without Inner Barrel	400x380x600 mm	45.4L/12Gal.	3
JW-CPT68W	68.1L Step-on Container without Inner Barrel	500x400x670 mm	68.1L/18Gal.	3
JW-CPT87W	87.1L Step-on Container without Inner Barrel	500x400x840 mm	87.1L/23Gal.	2

Optional



JW-CIB30



JW-CIB45



JW-CIB68



JW-CIB87


Art.NO.	Name	Size	Capacity	PCS/CTN
JW-CIB30	30.3L Inner Barrel	354x288x350 mm	Inner Barrel Is Optional	6
JW-CIB45	45.5L Inner Barrel	354x288x516 mm	Inner Barrel Is Optional	6
JW-CIB68	68.1L Inner Barrel	453x300x574 mm	Inner Barrel Is Optional	6
JW-CIB87	87.1L Inner Barrel	453x300x736 mm	Inner Barrel Is Optional	6

Recycle Round Container

- Never rust, concave and peel off.
- The sealed lid makes no leakage.
- Strengthened edge makes it more durable .
- Well-designed handles make easier and more comfortable work .
- Double surrounding edges at the bottom improve the stability and enhance the dragging force.
- Easy, fast and flexible transporting.
- Five swivel casters make easy control.
- Convenient assembly and disassembly.



Five swivel casters make easy control.



Snap-lock sealed lid prevents odors from spilling out, and it keeps surroundings clean.



Solid-built handles design makes easy lifting.



Pedal control makes easy disassembly.




Art.NO.	Name	Size	Capacity	PCS/CTN
JW-CR38E	37.9L Recycle Round Container	Φ398x434 mm	37.9L/10Gal.	12
JW-CR76E	75.7L Recycle Round Container	Φ492x584 mm	75.7L/20Gal.	12
JW-CR120E	121.1L Recycle Round Container	Φ557x693 mm	121.1L/32Gal.	6
JW-CR170E	166.5L Recycle Round Container	Φ617x794 mm	166.5L/44Gal.	6
JW-CR210E	208.2L Recycle Round Container	Φ679x840 mm	208.2L/55Gal.	6
JW-RCD	Dolly For Recycle Round Container	Φ460x164 mm	/	2

Note: JW-RCD Dolly can be used for JW-CR76E、JW-CR120E、JW-CR170E、JW-CR210E.

Lid For Recycle Round Container

Art.NO.	Name	Size	Suitable	PCS/CTN
JW-CRC1P	Lid For Recycle Round Container	Φ410x28 mm	JW-CR38E	24
JW-CRC2P	Lid For Recycle Round Container	Φ500x40 mm	JW-CR76E	12
JW-CRC3P	Lid For Recycle Round Container	Φ570x38 mm	JW-CR120E	12
JW-CRC4P	Lid For Recycle Round Container	Φ633x38 mm	JW-CR170E	12
JW-CRC5P	Lid For Recycle Round Container	Φ690x49 mm	JW-CR210E	12

Easy Install Pre-rinse Unit



JW-PS13B

- A** CARTRIDGES
Interchangeable
Self-contained and easily replaced
Ceramic and compression
- B** EASY INSTALL
Patented design
Unique "pop-and lock" riser connection
that takes as little as 10 minutes to install
- C** FAUCETS
Forged one-piece base faucet eliminated leaks
Copper layer over casting makes smoother surface
Thick chrome plating
- D** HOSES
Stainless steel hoses with double interlocked
covers for long life
Sealed ends prevent tears
Vinyl nylon reinforced inner hose tested to
1200PSL
- E** PACKAGING
Pre-assembled parts are ready for quick
installation
Fewer parts to misplace
- F** SPRING
Specially designed spring reinforced at
the stress point where hose connects.
Protects and extends life of hose
- G** SPRAY VALVES
Significant water-saving with low-flow
rates
Uncompromising performance
Tested to over 1.5 million cycles

Mounted Faucet



Art.No.	JW-PS13
Ref.No	B-0113
Material	Brass(Plastic)
Notes	Spare parts available
PCS/CTN	1

4" Deck Mounted Faucet



Art.No.	JW-PS38
Ref.No	B-2338
Material	Brass(Plastic)
Notes	Spare parts available
PCS/CTN	1

4" Center Deck Faucet



Art.No.	JW-PS33
Ref.No	B-0133
Material	Brass(Plastic)
Notes	Spare parts available
PCS/CTN	1

8" Center Wall Mounted Faucet



Art.No.	JW-PS18
Ref.No	B-0118
Material	Brass(Plastic)
Notes	Spare parts available
PCS/CTN	1

8" Center Wall Faucet

Pot and Kettle Filler

Pot and Kettle Filler

Chrome plated brass faucets stainless steel hoses with hook outlets are available.
 Wall Mounted Pot and Kettle Filler has hot and cold taps 8" (203mm).
 Hook nozzle outlet with automatic self-generating valve and hook.
 1/2" NPT female inlets.
 Built in check valves to prevent crossflow of water.
 Hold down ring for continuous flowing.



Art.No.	JW-PK05	JW-PK10
Name	Single Pot and Kettle Filler	8" Pot and Kettle Filler
Ref.No	B-0605	B-0610
Material	Brass(Plastic)	Brass(Plastic)
Notes	Spare parts available	Spare parts available
PCS/CTN	1	1

Pot Filler Faucet

18" (457 mm) double joint nozzle
 Insulated on-off volume control grip on tip of nozzle
 Wall mounting hole I.D.: 25mm

Art.No.	JW-PF0592
Name	Pot Filler Faucet
Material	Brass(Plastic)
Notes	Spare parts available
PCS/CTN	1



JW-PF0592

Wall Mounted Retractable Hose Reel

Hose
 3/8" I.D. EPDM tube
 Black SBR rubber
 35' (10.7m) and 50' (15.24m)
 hose lengths
 300 PSI max.
 176°F maximum temperature
 Standard on -GH models:
 3' connector hoses

Adjustable Hose Stop



Main Spring
 Proprietary spring alloy
 Exceeds 25K pull test
 Easy and safe service

Reel and Base
 Powder coated steel
 Thick steel structure
 Extra ribs for strength

Heavy-Duty Brass Swivel
 Outboard of reel
 Easy 'O'-Ring service
 'O'-Ring: Buna-N nitrile and
 two nylon wearing rings



Art.No.	JW-GS03	JW-GS03-A	JW-GS05	JW-GS06
Name	Economic Version Open Retractable Hose Reel	15M Economic Version Open Retractable Hose Reel	Open Retractable Hose Reel	Open S/S Retractable Hose Reel
Tef.No.	B-1403		B-7232-01	B-7132-01
Length	10.5 M	15 M	10.5 M	10.5 M
Material	Brass/Steel/Plastic	Brass/Steel/Plastic	Brass/Steel/Plastic	Brass/Steel/Plastic
Notes	Spare parts available	Spare parts available	Spare parts available	Spare parts available
PCS/CTN	1	1	1	1

Workboard Faucet



JW-PS123

8" Deck-Mounted Workboard Faucet

12" (305mm) swing nozzles
1/2" standard pipe thread, removable seats,
chrome plated escutcheon
Deck mounting holes I.D.: 25mm X 2, 8" (203mm) center



JW-PS113

4" Deck-Mounted Workboard Faucet

12" (305mm) swing nozzles
1/2" standard pipe thread, removable seats,
chrome plated escutcheon
Deck mounting holes I.D.: 25mm X 2, 4" (102mm) center



JW-PS142

8" Deck-Mounted Workboard Faucet

Swing gooseneck with 5-11/16"(145mm) spread
1/2" standard pipe thread, removable seats,
chrome plated escutcheon
Deck mounting holes I.D.: 25mmX2, 8"(203mm) center



JW-PS141

4" Deck-Mounted Workboard Faucet

Swing gooseneck with 5-11/16"(145mm) spread
1/2" standard pipe thread, removable seats,
chrome plated escutcheon
Deck mounting holes I.D.: 25mmX2, 4"(102mm) center



JW-PS132

8" Deck-Mounted Workboard Faucet

18" (457mm) double-joint nozzles
1/2" standard pipe thread, removable seats,
chrome plated escutcheon
Deck mounting holes I.D.: 25mmX2, 8" (203mm) center



JW-PS131

4" Deck-Mounted Workboard Faucet

18" (457mm) double-joint nozzles
1/2" standard pipe thread, removable seats,
chrome plated escutcheon
Deck mounting holes I.D.: 25mmX2, 4" (102mm) center

Pantry Faucets



JW-PS221
8" Deck-Mounted Mixing Faucet

Double pantry faucet with 12"(305mm) swing nozzle
 8"(203mm) centers, lever handles
 1/2"standard pipe thread, eccentric flanged
 Deck mounting holes I.D.: 25mmX2, 8"(203mm) center



JW-PS225
4" Deck-Mounted Mixing Faucet

Double pantry faucet with 12"(305mm) swing nozzle
 4"(102mm) centers, lever handles
 1/2"standard pipe thread, eccentric flanged
 Deck mounting holes I.D.: 25mmX2, 4"(102mm) center



JW-PS321
8" Deck-Mounted Mixing Faucet

Swing gooseneck with 5-11/16"(145mm) spread
 8"(203mm) centers, lever handles
 1/2"standard pipe thread, eccentric flanged
 Deck mounting holes I.D.: 25mmX2, 8"(203mm) center



JW-PS325
4" Deck-Mounted Mixing Faucet

Swing gooseneck with 5-11/16"(145mm) spread
 4"(102mm) centers, lever handles
 1/2"standard pipe thread, eccentric flanged
 Deck mounting holes I.D.: 25mmX2, 4"(102mm) center



JW-PS245
8" Deck-Mounted Mixing Faucet

18"(457mm) double-joint nozzles
 8"(203mm) centers, lever handles
 1/2"standard pipe thread, eccentric flanged
 Deck mounting holes I.D.: 25mmX2, 8"(203mm) center



JW-PS248
4" Deck-Mounted Mixing Faucet

18"(457mm) double-joint nozzles
 4"(102mm) centers, lever handles
 1/2"standard pipe thread, eccentric flanged
 Deck mounting holes I.D.: 25mmX2, 4"(102mm) center

Pantry Faucets



JW-PS201
4" Deck-Mounted Double Mixing Faucet

12"(305mm) swing nozzle
Single hole base faucet with 4"(102mm) spreader unit
Lever handles, nut and tailpiece furnished for optional 1/4" standard pipe thread connections
Deck mounting holes I.D.: 35mm



JW-PS206
Deck-Mounted Single Pantry Faucet

12"(305mm) swing nozzle
Lever handle (specify hot or cold)
1/2" standard pipe thread male shank
Deck mounting holes I.D.: 25mm



JW-PS301
4" Deck-Mounted Double Mixing Faucet

5-11/16"(145mm) swing gooseneck
Single hole base faucet with 4"(102mm) spreader unit
Lever handles, nut and tailpiece furnished for optional 1/4" standard pipe thread connections
Deck mounting holes I.D.: 35mm



JW-PS306
Deck-Mounted Single Pantry Faucet

5-11/16"(145mm) swing gooseneck
Lever handle (specify hot or cold)
1/2" standard pipe thread male shank
Deck mounting holes I.D.: 25mm



JW-PS250
4" Deck-Mounted Double Mixing Faucet

18"(457mm) double-joint nozzles
Single hole base faucet with 4"(102mm) spreader unit
Lever handles, nut and tailpiece furnished for optional 1/4" standard pipe thread connections
Deck mounting holes I.D.: 35mm



JW-PS255
Deck-Mounted Single Pantry Faucet

18"(457mm) double-joint nozzles
Lever handle (specify hot or cold)
1/2" standard pipe thread male shank
Deck mounting holes I.D.: 25mm

Dipperwell Bowl and Faucet / Waste Valves



JW-DB2282 Dipperwell Bowl and Faucet

Includes Dipperwell Bowl and Faucet
Deck mounting hole I.D.: 22mm,
146mm. Attention the clearance
between faucet and bowl.



JW-WV3952-01 Waste Valve and overflow Assembly

"-01" models include an overflow assembly,
Handle length: 312mm
Product length: 720mm, height: 430mm



JW-DB2282-01 Dipperwell Faucet

5" (168 mm) overall height
1-3/8" (35 mm) above table
1/16" (1.6 mm) solder inlet
Deck mounting hole I.D.: 22mm



JW-DB2282-02 Dipperwell Bowl











Keeps ice cream scoops and paddles clean and
sanitized,
Stainless steel internal cup, outer container and
tail washer,
4" (102 mm) length of 1-1/2" (38 mm) brass tubing,
Sits flush with tabletop,
Drains quickly and easily,



JW-WV3952 Twist Waste Valves

Twist rotary waste valves
Drain adapter
Valve bodies come standard with 2" outlet
3-1/2" (89 mm) sink opening applications

Workboard and Pantry Faucets

<p>According to user demand, matching of different base faucets and nozzles</p>			
	<p>Swing Nozzle</p>	<p>Swivel-Joint Nozzle</p>	<p>Swivel Gooseneck</p>
	<p>JW-PS-021(8") JW-PS-016(12")</p>	<p>JW-PS-020</p>	<p>JW-PS-019</p>
	<p>8" (203mm) 12" (305mm)</p>	<p>后长度:6"(152mm) 前长度:12"(305mm) 总长度:18"(457mm)</p>	<p>5-11/16" (145mm)</p>
	<p>MODEL</p>	<p>MODEL</p>	<p>MODEL</p>
 <p>JW-PS110-LN Workboard Faucet</p>	<p>JW-PS113</p>	<p>JW-PS131</p>	<p>JW-PS141</p>
 <p>JW-PS120-LN Workboard Faucet</p>	<p>JW-PS123</p>	<p>JW-PS132</p>	<p>JW-PS142</p>
 <p>JW-PS220-LN Swivel Base Faucet</p>	<p>JW-PS220(8") JW-PS221(12")</p>	<p>JW-PS245</p>	<p>JW-PS321</p>
 <p>JW-PS225-LN Swivel Base Faucet</p>	<p>JW-PS225</p>	<p>JW-PS248</p>	<p>JW-PS325</p>
 <p>JW-PS200-LN Swivel Base Faucet</p>	<p>JW-PS201</p>	<p>JW-PS250</p>	<p>JW-PS301</p>
 <p>JW-PS205-LN Single Pantry Faucet</p>	<p>JW-PS206</p>	<p>JW-PS255</p>	<p>JW-PS306</p>
 <p>JW-PS210-LN Swivel Base Faucet</p>	<p>JW-PS211</p>	<p>JW-PS260</p>	<p>—</p>

Faucets Accessories



JW-PS-001
Flex S/Hose



JW-PS-002
Spring overhead



JW-PS-003
Spray Valve



JW-PS-004
Add-on Faucet Unit



Wall Mount



JW-PS-006
Deck Mount



JW-PS-007
12-Inch Wall Bracket



JW-PS-008
Button Valve



JW-PS-009
Cold Water Valve



JW-PS-010
Hot Water Valve



JW-PS-011
Valve Handle (Hot)



JW-PS-012
Valve Handle (Cold)



JW-PS-013
Pre-Rise Spray Head



JW-PS-014
Pre-Rise Spray Supply Inlet



JW-PS-015
Faucet Valve



JW-PS-016
Neck of Faucet Unit



JW-PS-017
Straight Brass Tube



JW-PS-018
S Shape Handle



www.jiwins.cn



广东普飞酒店用品有限公司
Guangdong Perfect Co.,Ltd.

ADD: No.15 Zhi'an North Road, Jun'an
Town, Shunde District, Foshan, China
TEL: +86-757-25590999
FAX: +86-757-25386099
E-mail:sales@gzwins.com



微信扫一扫获得
更多资讯和优惠